

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 14/02/2025 Revision date: 18/09/2024 Supersedes version of: 17/11/2022 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name : TF-90

UFI : KP60-S9ND-4002-RJJJ

Product code : UDS000737AE

Type of product : Detergent

Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaners - Heavy duty

### 1.3. Details of the supplier of the safety data sheet

Supplier Only Representative

CRC Industries Europe UK Limited

CRC Industries Europe B.V.

Wylds Road

Touwslagerstraat 1

Wylds Road Touwslage
Castlefield Industrial Estate 9240 Zele

TA6 4DD Bridgwater Somerset Belgium

United Kingdom T +32(0)52/45.60.11, F +32(0)52/45.00.34

T +44 1278 727200, F +44 1278 425644 <u>hse@crcind.com</u>, <u>www.crcind.com</u>

hse.uk@crcind.com, www.crcind.com

### 1.4. Emergency telephone number

Emergency number : +44 1278 727200

Office hours: 9-17h CET

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336

Narcosis

Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02



GHS07

GHS09

Signal word (CLP) : Danger

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : propan-2-ol; isopropyl alcohol; isopropanol; Hydrocarbons, C7, n-alkanes, isoalkanes,

cyclics

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.

: P102 - Keep out of reach of children.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents/container to a hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

| Name   | Product identifier  | %       | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]  |
|--|---|---------|--|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics   | EC-No.: 927-510-4<br>REACH-no: 01-2119475515-<br>33   | 30 – 60 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |
| Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE) | CAS-No.: 68476-85-7<br>EC-No.: 270-704-2<br>EC Index-No.: 649-202-00-6                                | 30 – 60 | Flam. Gas 1, H220<br>Press. Gas (Comp.), H280  |
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (BE)   | CAS-No.: 67-63-0<br>EC-No.: 200-661-7<br>EC Index-No.: 603-117-00-0<br>REACH-no: 01-2119457558-<br>25 | 10 – 25 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336  |

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop,

get medical attention.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention. Seek medical attention if irritation develops.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical

attention if irritation develops.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness. Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard

firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

18/09/2024 (Revision date) BE - en 3/13

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area

with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to

remove residual contamination.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13: "Disposal considerations".

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good

industrial hygiene and safety procedures.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated

place. Keep cool. Keep container closed when not in use.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

National occupational exposure and biological limit values

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

#### **Belgium - Occupational Exposure Limits**

| Beigium - Occupational Exposure Limits |  |  |
|--|--|--|
| Local name                             | Alcool isopropylique # Isopropylalcohol    |  |
| OEL TWA                                | 500 mg/m³                                  |  |
|  | 200 ppm                                    |  |
| OEL STEL                               | 1000 mg/m³                                 |  |
|  | 400 ppm                                    |  |
| Regulatory reference                   | Koninklijk besluit/Arrêté royal 16/11/2023 |  |

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

### **Belgium - Occupational Exposure Limits**

| Local name | Pétrole (gaz liquéfié) # LPG |
|------------|------------------------------|
| OEL TWA    | 1826 mg/m³                   |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

|                      | 1000 ppm  |
|----------------------|---|
| Remark               | C: la mention "C" signifie que l'agent en question relève du champ d'application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bienêtre au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk. |
| Regulatory reference | Koninklijk besluit/Arrêté royal 16/11/2023  |

### **DNEL and PNEC**

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |                          |  |
|---|--------------------------|--|
| DNEL/DMEL (Workers)                                   |                          |  |
| Long-term - systemic effects, dermal                  | 888 mg/kg bodyweight/day |  |
| Long-term - systemic effects, inhalation              | 500 mg/m³                |  |
| DNEL/DMEL (General population)                        |                          |  |
| Long-term - systemic effects,oral                     | 26 mg/kg bodyweight/day  |  |
| Long-term - systemic effects, inhalation              | 89 mg/m³                 |  |
| Long-term - systemic effects, dermal                  | 319 mg/kg bodyweight/day |  |
| PNEC (Water)  |                          |  |
| PNEC aqua (freshwater)                                | 140,9 mg/l               |  |
| PNEC aqua (marine water)                              | 140,9 mg/l               |  |
| PNEC aqua (intermittent, freshwater)                  | 140,9 mg/l               |  |
| PNEC (Sediment)                                       |                          |  |
| PNEC sediment (freshwater)                            | 552 mg/kg dwt            |  |
| PNEC sediment (marine water)                          | 552 mg/kg dwt            |  |
| PNEC (Soil)   |                          |  |
| PNEC soil   | 28 mg/kg dwt             |  |
| PNEC (Oral)   |                          |  |
| PNEC oral (secondary poisoning)                       | 160 mg/kg food           |  |
| PNEC (STP)  |                          |  |
| PNEC sewage treatment plant                           | 2251 mg/l                |  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics      |                          |  |
| DNEL/DMEL (Workers)                                   |                          |  |
| Long-term - systemic effects, dermal                  | 300 mg/kg bodyweight/day |  |
| Long-term - systemic effects, inhalation              | 2085 mg/m³               |  |
| DNEL/DMEL (General population)                        |                          |  |
| Long-term - systemic effects,oral                     | 149 mg/kg bodyweight/day |  |
| Long-term - systemic effects, inhalation              | 447 mg/m³                |  |
| Long-term - systemic effects, dermal                  | 149 mg/kg bodyweight/day |  |

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protection equipment

#### Personal protective equipment symbol(s):





#### Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

#### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

#### **Respiratory protection**

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

#### Thermal hazards

### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

#### **Environmental exposure controls**

### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless.

Appearance : Propane/butane propelled liquid.

Odour : Characteristic.
Odour threshold : Not available
Melting point : No data available
Freezing point : Not available
Boiling point : 82 °C

Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

Lower explosion limit : 1,1 vol %
Upper explosion limit : 7 vol %
Flash point : -4 °C
Auto-ignition temperature : > 200 °C
Decomposition temperature : Not available
pH : Not applicable

Viscosity, kinematic : < 20,5 mm²/s at 40 °C

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Insoluble in water. Solubility Partition coefficient n-octanol/water (Log Kow) : Not applicable Vapour pressure : Not available Vapour pressure at 50°C : Not available : 0,725 g/cm3 at 20 °C Density : 0,725 at 20 °C Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

### Information with regard to physical hazard classes

% of flammable ingredients : 75 - 100 %

Other safety characteristics

Additional information : For aerosols data for the product without propellant.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

Hardening time : Not applicable.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat 5840 mg/kg bodyweight

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

| LD50 oral rat         | > 5000 mg/kg bodyweight |
|-----------------------|-------------------------|
| LD50 dermal rabbit    | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 23,3 mg/l/4h          |

Skin corrosion/irritation : Causes skin irritation.
pH: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.

pH: Not applicable

**Respiratory or skin sensitisation** : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause drowsiness or dizziness.

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

| LOAEC (inhalation, rat, vapour, 90 days) | 16,6 mg/l air |
|--|---------------|
| NOAEC (inhalation, rat, vapour, 90 days) | 3,3 mg/l air  |

Aspiration hazard : May be fatal if swallowed and enters airways.

#### TF-90

| Vaporizer            | Aerosol               |
|----------------------|-----------------------|
| Viscosity, kinematic | < 20,5 mm²/s at 40 °C |

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Viscosity, kinematic 0,67 mm²/s

### 11.2. Information on other hazards

# **Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term :

(acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| LC50 - Fish [1] | 10000 mg/l |
|-----------------|------------|
| LC50 - Fish [2] | 9640 mg/l  |

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

| • |                                     |  |
|---|-------------------------------------|--|
| EC50 - Crustacea [1]                    | 1,5 mg/l Daphnia magna (Water flea) |  |
| LOEC (chronic)                          | 0,32 mg/l (21 d)                    |  |
| NOEC (chronic)                          | 0,17 mg/l (21 d)                    |  |

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### **TF-90**

Persistence and degradability No data is available on the degradability of this product. Not established.

#### 12.3. Bioaccumulative potential

#### **TF-90**

Partition coefficient n-octanol/water (Log Kow)

Not applicable

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

Partition coefficient n-octanol/water (Log Pow)

2,3

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

#### **TF-90**

Results of PBT assessment

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH

Annex XIII

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

### TF-90

|                                | ••                |  |  |  |
|--------------------------------|-------------------|--|--|--|
|                                | Other information | No other effects known                                 |  |  |
| Global warming potential (GWP) |                   | 1.05 (Fluorinated greenhouse gases - (EC) No 2024/573) |  |  |

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                          | IMDG    | IATA    | ADN     | RID     |
|------------------------------|---------|---------|---------|---------|
| 14.1. UN number or ID number |         |         |         |         |
| UN 1950                      | UN 1950 | UN 1950 | UN 1950 | UN 1950 |

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| g name   |  |  |   |
|--|--|--|---|
| AEROSOLS   | Aerosols, flammable  | AEROSOLS   | AEROSOLS  |
| ption  |  |  |   |
| UN 1950 AEROSOLS, 2.1,<br>MARINE<br>POLLUTANT/ENVIRONME<br>NTALLY HAZARDOUS                                      | UN 1950 Aerosols,<br>flammable, 2.1,<br>ENVIRONMENTALLY<br>HAZARDOUS | UN 1950 AEROSOLS, 2.1,<br>ENVIRONMENTALLY<br>HAZARDOUS   | UN 1950 AEROSOLS, 2.1<br>ENVIRONMENTALLY<br>HAZARDOUS                   |
| lass(es)   |  |  |   |
| 2.1  | 2.1  | 2.1  | 2.1   |
| <b>1 1 1 1 1 1 1 1 1 1</b>   | <b>Y</b> 2   | **************************************   | ¥2  |
|  |  |  |   |
| Not applicable   | Not applicable   | Not applicable   | Not applicable  |
| ards   |  |  |   |
| Dangerous for the<br>environment: Yes<br>Marine pollutant: Yes<br>EmS-No. (Fire): F-D<br>EmS-No. (Spillage): S-U | Dangerous for the environment: Yes                                   | Dangerous for the environment: Yes   | Dangerous for the environment: Yes                                      |
|  | AEROSOLS  ption  UN 1950 AEROSOLS, 2.1,                              | AEROSOLS  Aerosols, flammable  ption  UN 1950 AEROSOLS, 2.1,     MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS  2.1  Not applicable  Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-D  UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS  UN 1950 Aerosols, flammable 2.1  UN 1950 Aerosols, flammable  Value Standarios Aerosols, flammable  UN 1950 Aerosols, flammable  Not applicable, 2.1, ENVIRONMENTALLY HAZARDOUS  Dangerous for the environment: Yes Environment: Yes | AEROSOLS  Aerosols, flammable  AEROSOLS  Potion  UN 1950 AEROSOLS, 2.1, |

### 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

# Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

# Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU-Regulations**

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **Detergent Regulation (648/2004)**

| Labelling of contents  |      |  |
|------------------------|------|--|
| Component              | %    |  |
| aliphatic hydrocarbons | ≥30% |  |

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

| Abbreviations and acronyms: |   |  |
|-----------------------------|---|--|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |  |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |  |
| ATE                         | Acute Toxicity Estimate   |  |
| BCF                         | Bioconcentration factor   |  |
| BLV                         | Biological limit value  |  |
| BOD                         | Biochemical oxygen demand (BOD)   |  |
| COD                         | Chemical oxygen demand (COD)  |  |
| DMEL                        | Derived Minimal Effect level  |  |
| DNEL                        | Derived-No Effect Level   |  |
| EC-No.                      | European Community number   |  |
| EC50                        | Median effective concentration  |  |
| EN                          | European Standard   |  |
| IARC                        | International Agency for Research on Cancer   |  |
| IATA                        | International Air Transport Association   |  |
| IMDG                        | International Maritime Dangerous Goods  |  |
| LC50                        | Median lethal concentration   |  |
| LD50                        | Median lethal dose  |  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |  |
| NOAEL                       | No-Observed Adverse Effect Level  |  |
| NOEC                        | No-Observed Effect Concentration  |  |
| OECD                        | Organisation for Economic Co-operation and Development  |  |
| OEL                         | Occupational Exposure Limit   |  |
| PBT                         | Persistent Bioaccumulative Toxic  |  |
| PNEC                        | Predicted No-Effect Concentration   |  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| SDS                         | Safety Data Sheet                        |
| STP                         | Sewage treatment plant                   |
| ThOD                        | Theoretical oxygen demand (ThOD)         |
| TLM                         | Median Tolerance Limit                   |
| VOC                         | Volatile Organic Compounds               |
| CAS-No.                     | Chemical Abstract Service number         |
| N.O.S.                      | Not Otherwise Specified                  |
| vPvB                        | Very Persistent and Very Bioaccumulative |
| ED                          | Endocrine disruptor                      |

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Aerosol 1                           | Aerosol, Category 1  |  |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2      |  |
| Asp. Tox. 1                         | Aspiration hazard, Category 1  |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |  |
| Flam. Gas 1                         | Flammable gases, Category 1  |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |
| Press. Gas (Comp.)                  | Gases under pressure : Compressed gas                                  |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                  |  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |  |
| H220                                | Extremely flammable gas.   |  |
| H222                                | Extremely flammable aerosol.   |  |
| H225                                | Highly flammable liquid and vapour.                                    |  |
| H229                                | Pressurised container: May burst if heated.                            |  |
| H280                                | Contains gas under pressure; may explode if heated.                    |  |
| H304                                | May be fatal if swallowed and enters airways.                          |  |
| H315                                | Causes skin irritation.  |  |
| H319                                | Causes serious eye irritation.   |  |
| H336                                | May cause drowsiness or dizziness.                                     |  |
| H411                                | Toxic to aquatic life with long lasting effects.                       |  |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.