



POWER TOOLS™

No Dust. No Water. No Problem.

iQMS362™


The world's first 420mm masonry saw with integrated dust control.

iQMS362

**THE WORLD'S FIRST & ONLY
420MM DRY-CUT MASONRY SAW
WITH INTEGRATED DUST CONTROL.**

iQMS362 is the next game changer for the construction industry. Its unmatched speed and accuracy, versatility in material cutting, portability, power management, and dust collection make the iQMS362 420mm dry-cut masonry saw with integrated dust control the **ONLY** choice for masonry and hardscape professionals.


This is **NOT** your Grandfather's masonry saw.



420MM iQ ARRAYED DIAMOND BLADE

The proprietary Q-Drive™ 420mm iQ Arrayed Diamond Blade incorporates the latest in diamond tool technology. The iQ arrayed diamonds make for faster, more consistent cutting speeds. When one row of diamonds begins to wear out there is a 2nd row right behind it that's ready to cut.

- 140mm depth of cut
- 610mm length of cut



PERFORMANCE

Q-Drive Blade allows the iQMS362 to cut up to 40% faster than any competitor in its class. Speed, accuracy, and the ability to cut a wide range of masonry materials.



iQ POWER MANAGEMENT

Soft-start technology controls the input power ramp up for a smooth, uninterrupted operation.



MOBILITY

High-flotation tires allow one person to easily move over rough jobsite terrain.



SAFETY

- Integrated dust collection captures up to 99.5% of hazardous silica dust.
- Cut dry while protecting the health and safety of your workforce.
- **TNO** innovation for life **Rated:** 50 meters per 8-hour working day sawing ceramic & natural stone tiles inside & outside
- White paper reports available

VERSATILITY

- Cut brick, pavers, stone and veneer with unmatched precision.
- Durable table can hold up 20kg.

PORTABILITY

- Easy to move and transport, ideal for any location, readily available power.
- Integrated stand with a gas-shock powered lifting/lowering mechanism for high and low working positions



VACUUM SYSTEM

Dust is captured within the blade guard, rear dust guard, and downdraft louvered table via a high-powered, integrated vacuum system



3 STAGE CYCLONIC FILTRATION

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT

Built with an integrated dust collection chamber that holds 18kg of dust.



POWER TOOLS™

No Dust. No Water. No Problem.

iQMS362™

THIS IS **NOT** YOUR GRANDFATHER'S MASONRY SAW.



- STOP BREATHING SILICA
- REDUCE YOUR LIABILITY
- FINISH JOBS FASTER
- ELIMINATE WATER
- **TNO** innovation for life RATED
- SAVE MONEY

iQMS362™

SPECIFICATIONS

VOLTAGE: 230v

TOTAL SYSTEM POWER: 2300 W

SAW MOTOR POWER: 1800 W

VAC MOTOR POWER: 500 W

SAW WEIGHT: 68 kg

BLADE SIZE: 420mm Q- Drive Blade

FILTER TYPE: iQ Dura Bond Cartridge

CUTTING DEPTH: 140mm

DUST CAPACITY: 18 kg

SAW DIMENSIONS LOW POSITION (WxHxL): 813 × 1016 × 1092 mm



02 9525 7444 • iqpowertools.com

A breakthrough innovation in the construction industry.