	FII	_A INDUSTRIA (	CHIMICA S.P.A.	Revision nr. 7
white are solutions				Dated 28/11/2022
		WET E	CO	Printed on 16/02/2023
				Page n. 1/9 Replaced revision:6 (Printed on: 06/04/2020)
-	Annex II, an Commissio	d subseque on Regulatio	•	
SECTION 1. Identif	ication of the sub	stance/mixture a	nd of the company/u	Indertaking
1.1. Product identifier Product name		WET ECO		
1.2. Relevant identified us Intended use		nixture and uses advise r terracotta and natural		
Identified Uses Uses		Industrial	Professional	Consumer
<b>1.3. Details of the supplie</b> Name Full address District and Country	r of the safety data shee	FILA INDUSTRIA CHI Via Garibaldi, 58 35018 San Martino di ITALIA Tel. +39.049.9467300 Fax +39.049.9460753		~
e-mail address of the comp responsible for the Safety D Supplier:		sds@filasolutions.co FILA SURFACE CARE LIMITED 12 Bridewell Place, Third Floor East, London EC4V 6AP		
1.4. Emergency telephone For urgent inquiries refer to	number	TEL +39.049.9467300 Friday; 8.30 - 12.30 a UNITED KINGDOM: N (Wales) IRELAND 018092166	ind 14.00 - 17.30 )	Scotland North Ireland) 08454647
SECTION 2. Hazard	ds identification			
	as hazardous pursuant to contains hazardous substa pliant to (EU) Regulation 2	nces in concentrations s	EC Regulation 1272/2008 (C uch as to be declared in secti	LP). on no. 3, it requires a safety data sheet with
<b>2.2. Label elements</b> Hazard labelling pursuant to l	EC Regulation 1272/2008	(CLP) and subsequent a	mendments and supplements	
Hazard pictograms: Signal words:				
EUH208	Safety data sheet availabl Contains: reaction mass c [EC no. 220-239-6] (3:1), May produce an allergic re	f 5-chloro-2-methyl-4-iso 1,2-benzisothiazol-3(2H)-		00-7] and 2-methyl-2H -isothiazol-3-one
Precautionary statements:				
2.3. Other hazards On the basis of available data The product does not contain				

	FILA	INDUSTRIA CHIMICA S.P.A.	Revision nr. 7 Dated 28/11/2022
		WET ECO	Printed on 16/02/2023
			Page n. 2/9
			Replaced revision:6 (Printed on: 06/04/2020)
SECTION 3. Composition	/information of	on ingredients	
3.1. Substances Information not relevant			
3.2. Mixtures			
Contains:			
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)	
1,2-benzisothiazol-3(2H)-one			
INDEX 613-088-00-6	0 ≤ x < 0,02	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H3 Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic	
EC 220-120-9		Skin Sens. 1 H317: ≥ 0,05%	
CAS 2634-33-5		LD50 Oral: 454 mg/kg, STA Inhalation vapours: 0,501 r mists/powders: 0,051 mg/l	ng/I, STA Inhalation
reaction mass of 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1)			
INDEX 613-167-00-5	0 ≤ x < 0,0015	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Aquatic Chronic 1 H410 M=100, EUH071 Skin Corr. 1C H314: $\ge$ 0,6%, Skin Irrit. 2 H315: $\ge$ 0,006 <sup>6</sup>	Acute 1 H400 M=100, %, Skin Sens. 1A
CAS 55965-84-9		H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. STA Oral: 100 mg/kg, LD50 Dermal: 141 mg/kg, STA Ir 0,501 mg/l	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash with water for at least 15 minutes, opening the eyelids well. Consult a doctor if the problem persists. SKIN: Remove contaminated clothing. Wash with water. If irritation persists, consult a doctor. Wash the contaminated garments before reusing them. INHALATION: Bring the subject to fresh air. If breathing is difficult, call a doctor immediately. INGESTION: Consult a doctor. Induce vomiting only upon medical advice. Do not give anything by mouth if the person is unconscious and if not authorized by the doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

# 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

FI	R
surface care s	olutions

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 7

Dated 28/11/2022 Printed on 16/02/2023

# WET ECO

Page n. 3/9

Replaced revision:6 (Printed on: 06/04/2020)

# **SECTION 6.** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

See section 01 for defined uses. No other particular uses are foreseen.

# **SECTION 8. Exposure controls/personal protection**

## 8.1. Control parameters

1,2-benzisothiazol-3(2H)-one			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,011	mg/l	
Normal value in marine water	1,1	mg/l	
Normal value for fresh water sediment	0,0499	mg/kg	
Normal value for marine water sediment	0,0049	mg/kg	
Normal value for water, intermittent release	0,000403	mg/l	
Normal value for the terrestrial compartment	3	mg/kg	
Health - Derived no-offect level - DNEL / DMEL			

Health - Derived no-en	ectievel - DNEL / L							
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation				1,2 mg/m3				6,81 mg/m3
Skin				0,345 mg/kg bw/d				0,966 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

# HAND PROTECTION

Generally not necessary. In case of prolonged contact protect hands with category I work gloves (ref. Standard EN 374).

Recommended material: Nitrile, minimum 0.38 mm thick or equivalent protective barrier material with a high level performance for conditions of use in continuous contact, with a minimum permeability time of 480 minutes in accordance with the CEN standard EN 420 and EN 374.

E	R
surface car	e solutions

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 7

# Dated 28/11/2022

# Printed on 16/02/2023

# WET ECO

Page n. 4/9

Replaced revision:6 (Printed on: 06/04/2020)

#### SKIN PROTECTION

Generally not necessary. In case of prolonged contact, wear category I work clothes with long sleeves and safety footwear for professional use (ref. Regulation 2016/425 and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

EYE PROTECTION None required.

#### RESPIRATORY PROTECTION

Generally not necessary for normal use. In case of aerosol formation or exceeding the threshold value (e.g. TLV-TWA) of the substance or one or more of the substances present in the product, it is recommended to wear a mask with type A filter combined with type P filter (ref. standard EN 14387). The use of respiratory protection means is necessary in case the technical measures adopted are not sufficient to limit the exposure of the worker to the threshold values taken into consideration. The protection offered by the masks is however limited.

## ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9.** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Properties Appearance	<b>Value</b> liquid	Information
Colour	Milkinness	
Odour	Distinctive, resiny	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 93 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	6	
Kinematic viscosity	not available	
Solubility	Readily soluble	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,018 kg/l	
Relative vapour density	not available	
Particle characteristics	not applicable	

# 9.2. Other information

9.2.1. Information with regard to physical hazard classes Information not available

9.2.2. Other safety characteristics	
Explosive properties	not applicable
Oxidising properties	not applicable

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

# 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

# 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

	1.2
<b></b>	
surface ca	re solutions

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 7

Dated 28/11/2022

Printed on 16/02/2023

# WET ECO

Page n 5/9

Replaced revision:6 (Printed on: 06/04/2020)

## 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials None

## 10.6. Hazardous decomposition products

Due to thermal decomposition or in case of fire, gases and vapors can be released that are potentially harmful to health.

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information Information not available

#### Information on likely routes of exposure Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available

Interactive effects Information not available

# ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

1,2-benzisothiazol-3(2H)-one

LD50 (Dermal): LD50 (Oral):

> 2000 mg/kg rat linee guida 402 per il test OECD 454 mg/kg rat linee guida 401 per il test OECD

Not classified (no significant component)

Not classified (no significant component) Not classified (no significant component)

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

LD50 (Dermal): LC50 (Inhalation vapours):

141 mg/kg coniglio 0,33 mg/l/4h

#### **SKIN CORROSION / IRRITATION** Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION Does not meet the classification criteria for this hazard class

# RESPIRATORY OR SKIN SENSITISATION May produce an allergic reaction. Contains:

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class

CARCINOGENICITY Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class

# FIN

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 7

# Dated 28/11/2022

# WET ECO

Printed on 16/02/2023

Page n 6/9

Replaced revision:6 (Printed on: 06/04/2020)

## ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

1,2-benzisothiazol-3(2H)-one LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants

reaction mass of 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-

methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants

## 12.2. Persistence and degradability

reaction mass of 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) NOT rapidly degradable

#### 12.3. Bioaccumulative potential

1,2-benzisothiazol-3(2H)-one BCF

12.4. Mobility in soil Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

## 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## 12.7. Other adverse effects

Information not available

# **SECTION 13.** Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number not applicable

#### 14.2. UN proper shipping name not applicable

1,6 mg/l/96h Oncorhynchus mykiss 2,9 mg/l/48h Daphnia Magna OECD TG 202 0,11 mg/l/72h Pseudokirchneriella subcapitata OECD TG 201

0,19 mg/l/96h trota iridea 0,16 mg/l/48h 0,027 mg/l/72h

6,62 Lepomis macrochirus

ZAN	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 7
surface care solutions		
		Dated 28/11/2022
	WET ECO	Printed on 16/02/2023
		Page n. 7/9
		Replaced revision:6 (Printed on: 06/04/2020)
4.3. Transport hazard cla ot applicable	ass(es)	
4.4. Packing group ot applicable		
4.5. Environmental haza ot applicable	rds	
4.6. Special precautions not applicable	for user	
4.7. Maritime transport information not relevant	n bulk according to IMO instruments	
SECTION 15. Reg	gulatory information	
Seveso Category - Directiv	environmental regulations/legislation specific for the substance or mixture e 2012/18/EU: None product or contained substances pursuant to Annex XVII to EC Regulation 1907/200	<u> 26</u>
Contained substance Point	75	
tegulation (EU) 2019/1148 ot applicable	3 - on the marketing and use of explosives precursors	
ubstances in Candidate L		
On the basis of available d	ata, the product does not contain any SVHC in percentage $\geq$ than 0,1%.	
<u>Substances subject to auth</u> Ione	orisation (Annex XIV REACH)	
Substances subject to expo None	prtation reporting pursuant to Regulation (EU) 649/2012:	
Substances subject to the l	Rotterdam Convention:	
Substances subject to the Solone	Stockholm Convention:	
Healthcare controls		
15.2. Chemical safety as	ssessment	
chemical safety assessm	ent has not been performed for the preparation/for the substances indicated in section	ion 3.
SECTION 16. Oth	er information	
ext of hazard (H) indication	ns mentioned in section 2-3 of the sheet:	
Acute Tox. 2	Acute toxicity, category 2	
Acute Tox. 3	Acute toxicity, category 3	
Acute Tox. 4	Acute toxicity, category 4	
Skin Corr. 1C	Skin corrosion, category 1C	
	Serious eye damage, category 1	
Eye Dam. 1		
Eye Dam. 1 Skin Irrit. 2	Skin irritation, category 2	
-	Skin irritation, category 2 Skin sensitization, category 1	
Skin Irrit. 2		
Skin Irrit. 2 Skin Sens. 1	Skin sensitization, category 1	
Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A	Skin sensitization, category 1 Skin sensitization, category 1A	

FIR	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 7
surface care solutions		
		Dated 28/11/2022
	WET ECO	Printed on 16/02/2023
		Page n. 8/9
		Replaced revision:6 (Printed on: 06/04/2020)
H310	Fatal in contact with skin.	
H330	Fatal if inhaled.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH210	Safety data sheet available on request.	
Lonzio	Salety data sheet available of request.	
IATA DGR: Intern IC50: Immobilizat IMDG: Internation IMO: Internation INDEX: Identifier IC50: Lethal Con LD50: Lethal Con DD50: Lethal dose OEL: Occupation PBT: Persistent b PEC: Predicted e PEL: Predicted e PEL: Predicted e PNEC: Predicted e PNEC: Predicted e REACH: Regulati RID: Regulation c TLV: Threshold L TLV CEILING: CC TWA: Time-weigh TWA STEL: Shor VOC: Volatile org vPvB: Very Persis	y Schedule armonized System of classification and labeling of chemicals national Air Transport Association Dangerous Goods Regulation tion Concentration 50% nal Maritime Organization in Annex VI of CLP ncentration 50% se 50% nal Exposure Level bioaccumulative and toxic as REACH Regulation environmental Concentration exposure level d no effect concentration tion (EC) 1907/2006 concerning the international transport of dangerous goods by train	
<ol> <li>Regulation (EC)</li> <li>Regulation (EU)</li> </ol>	DGRAPHY ) 1907/2006 (REACH) of the European Parliament ) 1272/2008 (CLP) of the European Parliament ) 2020/878 (II Annex of REACH Regulation) ) 790/2009 (I Atp. CLP) of the European Parliament ) 286/2011 (II Atp. CLP) of the European Parliament ) 618/2012 (III Atp. CLP) of the European Parliament ) 487/2013 (IV Atp. CLP) of the European Parliament ) 944/2013 (V Atp. CLP) of the European Parliament ) 944/2013 (V Atp. CLP) of the European Parliament ) 005/2014 (VI Atp. CLP) of the European Parliament J) 2015/1221 (VII Atp. CLP) of the European Parliament J) 2016/918 (VIII Atp. CLP) of the European Parliament J) 2016/1179 (IX Atp. CLP) J) 2017/776 (X Atp. CLP) J) 2017/776 (X Atp. CLP) J) 2019/521 (XII Atp. CLP)	

FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 7
	Dated 28/11/2022
WET ECO	Printed on 16/02/2023
	Page n. 9/9
	Replaced revision:6 (Printed on: 06/04/2020)

17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP) 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP) - The Merck Index. - 10th Edition

Handling Chemical Safety

INRS - Fiche Toxicologique (toxicological sheet)

Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

IFA GESTIS website

ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, it is the user's obligation to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. No responsibility is assumed for improper use.

Provide adequate training to personnel assigned to the use of chemical products.

This safety data sheet has been prepared by a competent technician who has received suitable training.

METHOD'S OF CALCULATING THE CLASSIFICATION

Physico-chemical hazards: The classification of the product was derived from the criteria established by the CLP Regulation Annex I Part 2. The methods for assessing the physico-chemical properties are reported in section 9.

Health hazards: The classification of the product is based on the calculation methods set out in Annex I of CLP Part 3, unless otherwise indicated in section 11.

Environmental hazards: The classification of the product is based on the calculation methods set out in Annex I of CLP Part 4, unless otherwise indicated in section 12.

Changes to previous review:

The following sections were modified:

02/03/04/07/08/09/11/12/15/16.